
DURACELL®

DURGT1400 Size: C (LR14)

Alkaline-Manganese Dioxide Battery



Size: C (LR14) MN1400



Dimensions shown are IEC standards

Key Features

- Reliable Performance
- Excellent resistance to corrosion
- Designed to meet all major quality, safety and environmental standards:
 - o Safety: IEC 60086-5
 - o ANSI C 18.1M, Part-2
 - o EU Battery Directive
 - Quality: ISO 14001 and 9001, Duracell World Class Continuous Improvement Program

Electrical Characteristics

Nominal capacity (83 mA Cont., .8V cut-off) 6,235 mAh

Typical Voltage (at + 20 °C)1.5 V

• AC Impedance @ 1kHz 112 m Ω

Physical Characteristics

Typical weight
 Typical volume
 Terminals
 69.0 g (2.4 oz)
 26.9 cm³ (1.6 in³)
 Flat

Operating & Storage Conditions

-20°C to 60°C

■ Operating temperature range (-4°F to 140°F)

Storage temperatures 5°C to 30°C
 Recommended (41°F to 86°F)




Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

MN140EMGP1122

DURGT1400 Size: C (LR14)

Alkaline-Manganese Dioxide Battery







Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

Service Hours

MN140EMGP1122