

2.4Ghz Wireless Mouse with Nano USB Receiver

15m Working Range • 1600dpi • Ergonomic Design



Compatible with

Mac iOS WINDOWS

Clix-1 Wireless Optical Mouse is an **ergonomic and reliable wireless optical mouse**. It features a **1600dPi optical sensor** for better **accuracy** and a **Nano USB receiver** so tiny that you can plug into your **laptop or computer** and forget about it. The Clix-1 has

a working range of up to **15 meters**, which is great for **home and office** use. It also comes with a **sleep mode function** to turn itself off when it's idle for some time, simply click on any button to wake it up.

1600 DPI Optical Sensor

- Ergonomic Contoured Shape
- Plug & Play
- Auto-Sleep Function

2.4GHz Wireless Connections

15m Working Range

| NAME | HS CODE | HTS CODE | MAIN PRODUCT INFO | | | | PACKAGING LOGISTICS DETAILS | | | | | MASTER BOX LOGISTICS | | | | | |
|--------|------------|------------|-------------------|--------|--------|--------|-----------------------------|-----------|--------|--------|--------|----------------------|-----------|-----------|--------|--------|--------|
| | | | N.W. (kg) | L (cm) | W (cm) | H (cm) | G.W. (kg) | N.W. (kg) | L (cm) | W (cm) | H (cm) | Qty Pcs | G.W. (kg) | N.W. (kg) | L (cm) | W (cm) | H (cm) |
| Clix-1 | 8471607200 | 8471602000 | TBD | 9.5 | 5.5 | 3.5 | TBD | TBD | 10.9 | TBD | 15.3 | 40 | TBD | TBD | 50 | 26.5 | 38.5 |

| COMPATIBILITY | PACKAGING CONTENT | COLOR | CERTIFICATION |
|--------------------|-------------------|----------------|---------------------|
| Windows and Mac OS | Clix-1 User Guide | Black White | CE FC RoHS ♻️ |

| | | | | | | |
|--------------------|------------------------|---------------------------|-----------------|-----------|-------------------|-----------------------|
| Model Name: Clix-1 | Barcode: 6959144025445 | Promate Technologies Ltd. | www.promate.net | mypromate | sales@promate.net | marketing@promate.net |
|--------------------|------------------------|---------------------------|-----------------|-----------|-------------------|-----------------------|