





Google play









Setup, No CD Required





Smart AC750 Dual-Band Wi-Fi Extender/ Access Point/Wi-Fi Bridge

The Edimax EW-7438AC is an 11ac high-speed smart Wi-Fi extender with built-in power adapter and a compact design which plugs directly into an electrical outlet. Double the signal coverage of your Wi-Fi network for better Wi-Fi quality around your home. With smart iQ Setup, installation is quick and easy and the EW-7438AC features three operating modes: Wi-Fi extender, access point or Wi-Fi bridge. Use whichever mode you need for your network. Additionally, the extender complies with IEEE 802.11ac and IEEE 802.11 a/b/g/n wireless standards, for concurrent dual-band wireless speeds up to 750Mbps (300Mpbs on 2.4GHz + 433Mbps on 5GHz). With the Edimax EW-7438AC you can enjoy high-speed wireless networking throughout your home without additional cabling. And the EW-7438AC works together with the free EdiRange smartphone app to provide local Wi-Fi environment analytics as well as Wi-Fi scheduling functions and guest network management.


11ac Super High-Speed Dual-Band Wi-Fi

Offers the latest 11ac Wi-Fi technology with high-speed capacity up to 750Mbps (N300 + AC433Mbps) and extends both 2.4GHz and 5GHz wireless connections at the same time.




Eliminate Dead Zones & Double Wi-Fi Coverage

Extend Wi-Fi coverage to dead zones which your existing Wi-Fi signal can't reach. Plug the extender directly into an electrical outlet and double the signal coverage of your Wi-Fi network for better Wi-Fi quality across different rooms or multiple floors in your home.



Smart 3-in-1 Extender, Access Point and Wi-Fi Bridge

The EW-7438AC can work as Wi-Fi extender, access point or Wi-Fi bridge. Just configure the mode you need for your network environment using the smart iQ Setup wizard and enjoy surfing the web.






Smart AC750 Dual-Band Wi-Fi Extender/ Access Point/Wi-Fi Bridge

EW-7438AC

Smart iQ Setup

Features user-friendly browser-based iQ Setup for smart, automatic and quick installation. iQ Setup automatically detects the available Wi-Fi networks nearby and helps you establish a connection in a few seconds.



Smart App Control & Analytics

The extender works together with the free EdiRange smartphone app which displays your local Wi-Fi environment and provides easy-to-understand analytics. Plus you can manage the extender's wireless network and functions such as scheduling and guest network.




Universal Compatibility, Works With Any Wireless Router Universal compatibility and easy web-based iQ Setup for quick and easy installation.



Green Wi-Fi Power Switch

Featuring a new hardware switch to adjust between normal and green Wi-Fi transmit power (the strength of the Wi-Fi signal) or switch off the power with one click. If you only need Wi-Fi in a smaller house, you can switch to green mode to reduce transmit power by 75% and conserve energy.






Smart AC750 Dual-Band Wi-Fi Extender/ Access Point/Wi-Fi Bridge

EW-7438AC

Cross-Band Technology for Maximum Speed

Edimax cross-band technology uses both frequency bands together to maintain your router's maximum speed capacity through your extender and to your Wi-Fi device. Data is transmitted on one band and received on the other band, meaning no speed loss at your extender and a faster network with better performance. Perfect for high-speed applications such as HD video streaming or online gaming.



Smart Signal-Strength Indicator

Designed with a signal strength LED which lets you see the Wi-Fi signal strength received from the router* and guides you to find the best setup location.

*Extender or Wi-Fi bridge mode only.



Install the extender where the signal strength LED is off (but not flashing) for optimal Wi-Fi performance.

Wi-Fi Scheduling

Program intelligent schedules to manage Wi-Fi availability and power usage according to your home's routine.



Guest Wi-Fi

The EW-7438AC also features a guest wireless network which could be used for visitors only and help to keep your home Wi-Fi private and secure.





Smart AC750 Dual-Band Wi-Fi Extender/ Access Point/Wi-Fi Bridge

EW-7438AC

TECHNICAL SPECIFICATIONS

Frequency Band Wireless Standards and Data Rates **Hardware Interface** 2.4GHz IEEE 802.11ac (up to 433Mbps) 1 x 10/100Mbps Ethernet LAN port IEEE 802.11n (up to 300Mbps) 1 x Slide switch 5GHz IEEE 802.11a (up to 54Mbps) 1 x WPS button LEDs: 5GHz, 2.4GHz, Signal indicator, power, WPS, LAN IEEE 802.11g (up to 54Mbps) IEEE 802.11b (up to 11Mbps) 1 x AC plug (EU, UK, US, or AU) Management Security **System Requirements** 16-language user interface 64/128-bit WEP, WPA-PSK and Existing wireless home network Upgradable firmware WPA2-PSK encryption (2.4GHz/5GHz) for Wi-Fi 802.1x authentication, User access extender/Wi-Fi bridge mode, or control (in access point mode) Cable/xDSL modem router for access point mode WPS (Wi-Fi Protected Setup) Computer with IEEE802.11ac/a/b/g/n Wi-Fi capability and web browser for software configuration (Internet Explorer, Google Chrome, Firefox, Opera or Safari latest version) iOS 6 above or Android 4.x above for mobile app **Power Adapter** Installation Antenna Built-in AC100-240V, 0.16A 50-60Hz Multi-language iQ Setup 3 x internal antennas (2.4GHz x 2, power module 5GHz x1) (browser interface) Hardware WPS button Humidity **Temperature Package Contents** EW-7438AC Wi-Fi extender 10-90% (Non-condensing) 0-40°C (32-104°F)

Dimensions 59(W) x 91(H) x 40(D) mm (power plug is excluded) Weight

106g

Quick installation guide

CD with multi-language QIG and user manual


Access key card

Certifications

FCC, CE

APPLICATION DIAGRAM

HARDWARE INTERFACE



Maximum performance, actual data rates, and coverage will vary depending on network conditions and environmental factors. Product specifications and design are subject to change without notice.

Copyright © 2015 Edimax Technology Co. Ltd. All rights reserved.

www.edimax.com