

UNITEK

Human friendly


SolidForce SSD Enclosure

USB3.1 Gen2 to M.2 PCIe/NVMe SSD Tool-Free Enclosure



SolidForce SSD Enclosure

USB3.1 Gen2 to M.2 PCIe/NVMe SSD Tool-Free Enclosure



- Model: S1203ABK
- Color: Black
- Products Features:
 - Supports USB3.1 Gen2 10Gbps data transfer speed
 - Capable of performance over 950MB/s read/write when using high-performance SSD
 - Compatible with M.2 PCIe/NVMe M-Key SSDs only, including 2242, 2260 and 2280 sizes
 - Tool-free design for quick and easy installation of the M.2 PCIe/NVMe SSDs
 - Sleek black anodized aluminium housing with extruded fins to aid heat dissipation
 - Active LED diode indicating the case state. (Lights: Connected; Twinkles: Record/Reading is going on)



Thoughtful Design

Tool-free and cooling system

Simple and tool-free installation

- Open the enclosure without screws or screwdrivers
- Just one-click to open it

Excellent cooling design


- Provide the silicone thermal pad and aluminium heat exchanger to stick on the SSD

Aluminium housing

- With the extruded fins, effective for heat dissipation
- Durable, light and portable, comes with the compact and cool outlook

Rigorous Testing

- Drop and Vibration Test
- Port Test
- Salt Spray Test
- Acceleration (HALT) Test



High-Efficiency

SuperSpeed 10Gbps data transmission rate

Applicable on all the USB-C(with data function) computer

- 10Gbps will be available on USB3.1 Gen2 or Thunderbolt 3 connection
- Measured speed around 930MB/s
- Actual speed will be varied by different factors e.g. computer USB spec, operation system, SSD performance etc.

Also supports

- TRIM command
- UASP (USB Attached SCSI Protocol)
- Maximize the data transfer speed and lifespan of SSD

High-end solution for

- Lots video files transmission
- Gaming
- Portable large storage drive



Designed For M-Key SSD


Compatible with most M.2 SSD

Supports following size SSD

- 2242 (22mm x 42mm)
- 2260 (22mm x 60mm)
- 2280 (22mm x 80mm)

Please be reminded

- DO NOT work with NGFF SATA SSD
- DO NOT work with B-Key SSD



Specifications

Upstream	USB-C (Attached with: USB-C to A cable x1 , USB-C to C cable x1)
Downstream	M.2 PCIe/NVMe M-Key SSD
Dimension	117.5mm x 40mm x 13.5mm

UNITEK

Human friendly

Thank You

Work with us to help connect technology to everyday life.
We are excited to hear from you. Join us now to enrich people's life.

Email: sales@unitek-products.com

Website: www.unitek-products.com