

SF16/SF16T 16" Portable Monitor

Introducing the MINIX SF16/SF16T, the ultimate solution for a portable monitor that effortlessly extends your content from laptops and mobile devices. This impressive 16" HD touch screen monitor comes equipped with a host of outstanding features, offering a one-cable solution for seamless audio, visual, power, and touch signal transmission through USB-C.

Experience the flexibility to work from any angle, thanks to the adaptable foldable display stand. Enjoy the advantages of its compact, lightweight, and highly portable design. With a robust and long-lasting aluminum alloy case, you can rely on its durability. Additionally, this remarkable monitor is exceptionally lightweight, weighing in at just 750 grams.



Say goodbye to the inconvenience of mini-HDMI or micro-HDMI ports – we offer a full-size HDMI port with a significantly reduced defect rate. Whether you're using macOS, Windows 10/11, Android, or Linux OS, the MINIX SF16/SF16T supports multi-touch and gesture controls. It's time to liberate yourself from the constraints of a single screen and embrace the future with our innovative and lightweight portable monitor.



**Onscreen touch
Settings control
(Optional)**



**Windows 10/11,
macOS, Android,
Linux OS multi-touch**



**Featherweight
Only 750g**



**Built-in Stand
Hinge Design**

IPS

**100% sRGB
IPS LCD**



**Passthru power to laptop
With just one USB-C**



**Onscreen touch control
Easy & Fast adjustment**




**SF16T Touch Version \$249
SF16 Non-touch version \$199
Cost saving option**

Display

Display Size (in.):	16.5
Viewable Area (in.):	16
Panel Type:	IPS Technology
Resolution:	1920 x 1200
Resolution Type:	FHD (Compatible with HD)
Static Contrast Ratio:	1200:1 (typ)
Dynamic Contrast Ratio:	50M:1
Light Source:	LED
Brightness:	300 cd/m ² (typ)
Colors:	16.7 Million Colors
Color Space Support:	8-bit
Aspect Ratio:	16:10
Response Time (Typical GTG):	6.5ms
Response Time (GTG w/OD):	6.599ms
Response Time (Typ Tr/Td):	14/11 ms
Viewing Angles:	178° horizontal, 178° vertical, CR ≥ 10
Backlight Life (Hours):	15000 Hrs (Min)
Curvature:	Flat
Refresh Rate (Hz):	60
Blue Light Filter:	Yes
Color Gamut:	NTSC: 72%, sRGB: 100%, DCI-P3 74% (typ)
Pixel Size:	0.179 mm (H) x 0.179 mm (V)
Touch Screen (for SF16T only):	Projected Capacitive, 10-point multi-touch
Surface Treatment:	Glossy w/ anti-fingerprint, hard coating
Cover Glass Thickness:	0.8mm

Connector

USB 3.2 Type-C Up Stream;	2 (65W power charger)
DisplayPort Alt mode :	
3.5mm Audio Out:	1
3.5mm Audio Out:	1
Power in:	USB Type C (with video & data)



Compatibility

PC Resolution (max):	1920x1200
Mac® Resolution (max):	1920x1200
Supported Operating System:	Windows 10/11, macOS, iPad OS, Android, Switch
Mac® Resolution (min):	1920x1200

Audio

Internal Speakers: Stereo, 8Ω1W * 2

Power

Eco Mode (without external power):	<5W (<5V/1A)
Consumption (typical):	8W
Consumption (max):	8.3W
Voltage:	DC 5V/3A- 20V/3.25A
Stand-by:	0.5W
Power Supply:	External Power Adapter USB-C PD 30W (US/EU/UK/AU)

Control

Physical Controls:	Up, Down, Enter (Power)
On Screen Display:	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Operating Conditions

Temperature:	32°F to 104°F (0°C to 40°C)
Humidity (non-condensing):	10% to 80%

Input Signal

Frequency Horizontal:	15 ~ 82KHz
Frequency Vertical:	50 ~ 75Hz

Video Input

Digital Sync:	TMDS - full-size HDMI (v1.4), DP-Alt Mode: USB-C
---------------	---

Ergonomics

Tilt:	-10° to -60°
-------	--------------

Weight (Imperial)

Net SF16 (lbs):	1.65
Net SF16T (lbs):	2.00

Weight (Metric)

Net SF16 (kg):	0.75
Net SF16T (kg):	0.91

Dimensions (Imperial) WxHxD

Packaging (in.):	18.3 x 17.9 x 11.4
Physical (in.):	13.97 x 9.2 x 0.47

Dimensions (Metric) WxHxD

Packaging (mm):	465 x 455 x 290
Physical (mm):	355 x 234 x 12

General

Regulations:	FCC, CE, CE-EMC, RoHS, REACH, WEEE, UKCA
Package Contents:	Monitor x1, HDMI to HDMI Cable (v1.4; Male-Male) x1, USB Type- C Cable (Male-Male) x2, AC/DC Adapter x1, Quick Start Guide x1, Protect cover x1
Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
Warranty:	*Warranty offered may differ from market to market